



KIRKBUILD

Email: admin@kirkbuild.com.au

Tel: 1300 547 528

Fax: 07 3818 2273

FLINDERS

Full height system with floor to ceiling frontals.



- Resistant to water damage, graffiti and vandalism
- High recommended for dry & wet area applications
- Suitable for hose out cleaning
- Extremely durable for high abuse applications
- Low VOC emission rating
- Schools, Universities, Clubs & Hotels, Shopping Centres, Sporting Facilities etc

Kirkbuild Commercial Joinery Pty Ltd

Shed 3B, 160 Toongarra Road, Wulkuraka, 4305
www.kirkbuild.com.au | admin@kirkbuild.com.au

ABN: 75602530736 | QBCC: 1046618

System Specification

Available in Multipurpose 13mm Compact Laminate (solid phenolic core) / 18mm & 33mm pre-finished high moisture resistant board, edged with 2mm ABS matched to laminate colour.

Suitable for Toilet, Shower & Changeroom Cubicles

(Shower Cubicles - Compact Laminate only)

An excellent solution for wet areas that require additional durability.

Section	Substrate / Finish	Size
Headrail	Clear Anodised Aluminium	30 x 20mm
Door Insert	Clear Anodised Aluminium	To Suit 30 x 20mm
Division Channel	Clear Anodised Aluminium	30 x 20mm
Wall Nib Channel	Clear Anodised Aluminium	30 x 20mm
Panel Joiner (H Section)	Clear Anodised Aluminium	13mm
Fixings	Stainless Steel	Various (Screw fixed)

Kirkbuild Commercial Joinery Pty Ltd

Shed 3B, 160 Toongarra Road, Wulkuraka, 4305
www.kirkbuild.com.au | admin@kirkbuild.com.au

ABN: 75602530736 | QBCC: 1046618

Hardware

Standard Door Furniture

K_Lock-Kirkbuild Slide Lock & Indicator Set



Metlam Moda Coathook



Metlam Moda Bumper



Metlam Moda Spring Hinges




Floor & Ceiling Mounted Frontal in Aluminium Channel




Standard Aluminium

Clear Anodised Square Channel



Clear Anodised Inserts



Clear Anodised H Sections





KIRKBUILD

Kirkbuild Commercial Joinery Pty Ltd

Shed 3B. 160 Toongarra Road, Wulkuraka, 4305, QLD

ABN: 75602530736 | QBCC: 1046618

www.kirkbuild.com.au | admin@kirkbuild.com.au

Tel: 1300 547 528 | Fax: 07 3818 2273
