Email: admin@kirkbuild.com.au

Tel: 1300 547 528

Fax: 07 3818 2273

JUNIOR

Typically a floor mounted freestanding system.



- Resistant to water damage, graffiti and vandalism
- High recommended for dry & wet area applications
- Suitable for hose out cleaning
- Extremely durable for high abuse applications
- Low VOC emission rating

Kirkbuild Commercial Joinery Pty Ltd

Shed 3B, 160 Toongarra Road, Wulkuraka, 4305 www.kirkbuild.com.au | admin@kirkbuild.com.au

ABN: 75602530736 | QBCC: 1046618

System Specification

Available in 13mm Compact Laminate & 18mm pre-finished high moisture resistant board, edged with 2mm ABS matched to laminate colour.

Section	Substrate / Finish	Size
Headrail	Clear Anodised Aluminium	30 x 20mm
Door Insert	Clear Anodised Aluminium	To Suit 30 x 20mm
Division Channel	Clear Anodised Aluminium	30 x 20mm
Wall Nib Channel	Clear Anodised Aluminium	30 x 20mm
Panel Joiner (H Section)	Clear Anodised Aluminium	13mm
Fixings	Stainless Steel	Various (Screw fixed)

Kirkbuild Commercial Joinery Pty Ltd

Shed 3B, 160 Toongarra Road, Wulkuraka, 4305 www.kirkbuild.com.au | admin@kirkbuild.com.au

ABN: 75602530736 | QBCC: 1046618

Hardware

Standard Door Furniture

K_Lock-Kirkbuild Slide Lock & Indicator Set



Moda Coathook



Moda Bumper with concealed fix bolt through plate



Moda Spring Hinges with concealed fix bolt through plates





Floor Mounted Frontal in Aluminium Skirt



Standard Aluminium


Clear Anodised Square Channel



Clear Anodised Inserts



Clear Anodised H Sections



Standard Hardware and Channel Finishes





Kirkbuild Commercial Joinery Pty Ltd

Shed 3B. 160 Toongarra Road, Wulkuraka, 4305, QLD

ABN: 75602530736 | QBCC: 1046618

www.kirkbuild.com.au | admin@kirkbuild.com.au

Tel: 1300 547 528 | Fax: 07 3818 2273